Contents of Volume 51 · 2003/2004

Ahn B → Kim M
Akovali G → Celikbilek C
Albano C, González J, Ichazo M, Velasco N, Guevara J, La Mantia F: Thermal stability of PP with acetylated sisal fiber: Romero García kinetic method 245
Albano C → Ichazo M
Albano C, Perera R, Silva P, Sánchez Y: Characterization of Gamma Irradiated PEs using ESR, FTIR and DSC Techniques 135
Aliev R → Palacios O
An SG, Cho CG: Synthesis and Characterization of Dumbbell Type Amphiphilic Block Copolymers via ATRP 255
Arévalo J → Chirinos J
Arslan M, Yiğitoğlu M, Şanlı O, Ünal HI: Kinetics of swelling assisted grafting of 4-vinyl pyridine onto poly(ethylene terephthalate) fibers using a benzoyl peroxide initiator 237

Badi N → Bin C
Bahsas A → Chirinos J
Barbaud C → Coulembier O
Bennevault-Celton V → Bin C
Berg RH → Hansen MS
Bernède JC → del Valle MA
Berti C, Colonna M, Fiorini M, Lorenzetti C, Sisti L: Chemical Modification of Bisphenol A Polycarbonate by Reactive Blending with Cyclic Anhydrides.
Part 1: Reaction with Succinic Anhydride 111
Betancourt-Galindo R, Saldívar R, Rodríguez-Fernández OS, Ramos-de Valle LF: Preparation and Characterization of magnetic latexes using Styrene monomer 395
Bhosale S → Li G
Bicak N, Senkal BF, Gazi M: Epoxide containing spherical beads from PVC 231
Bin C, Badi N, Bennevault-Celton V, Cheradame H: Study of the Interactions of Organic Sulfides with Active Species in the Cationic Polymerization of 1,3-Pentadiene 343
Bodini ME → del Valle MA
Bottino FA, Cinquegrani AR, Di Pasquale G, Orestano A, Pollicino A: Synthesis and Characterization of New Copoly(arylene ether)s Containing Naphthalene or Naphthalene/1,3,4-Oxadiazole Units 31
Burillo G → Palacios O
Bustos CJ → Sánchez CO

Calderón M → Sánchez EI
Cancino RA → Pérez MA
Cankurtaran H → Cankurtaran O
Cankurtaran O, Serin M, Cankurtaran H, Yilmaz F: Secondary transitions and thermodynamic interaction parameters of poly (phenyl sulfone) by gas chromatography 225
Caro CJ → Pérez MA
Castillo EA → Hernandez S
Celikbilek C, Akovali G, Kaynak C: Modification of Epoxy by a Liquid Elastomer and Solid Rubber Particles 429
Chaillou A → del Valle MA
Chang JH, Uk An Y, Chul Ryu S, Giannelis EP: Synthesis of Poly(butylene terephthalate) Nanocomposite by *In-situ* Interlayer Polymerization and Characterization of Its Fiber (I) 69
Cheradame H → Bin C
Chirinos J, Arévalo J, Rajmankina T, Morillo A, Ibarra D, Bahsas A, Parada A: Synthesis of UHMW-PE by a Highly Active Homogeneous System: η^5-$(C_5H_5)_2Ti(\eta^1$-$OC(O)C_6H_5)_2$/MAO 381
Cho CG → An SG
Choe S → Shim SE
Choe Y → Kim M
Chuah HH → He X
Chujo Y → Miyata M
Chul Ryu S → Chang JH
Cinquegrani AR → Bottino FA
Colonna M → Berti C
Coulembier O, Degée P, Barbaud C, Guérin P, Dubois P: New amphiphilic graft copolymer based on poly(β-malic acid): synthesis and characterization 365

de Castro ML, Wang SH: Statistical Copolymers of l,l-lactide and ε-caprolactone 151
Degée P → Coulembier O
Del Valle MA → Sánchez CO
del Valle MA, Soto GM, Guerra L, Vélez JH, Díaz FR: Arsenic extraction using polypyrrole modified electrodes 301
del Valle MA, Ugalde L, Díaz FR, Bodini ME, Bernède JC, Chaillou A: SEM study of the growth of electrochemically obtained polyselenophene thin films. Effect of electrolyte and monomer concentration in acetonitrile 55
De Paoli M-A → Reis Martins C
Díaz FR → del Valle MA
Díaz FR → Sánchez CO
Dijkstra PJ → Zhong Z
Dimitriev OP: Interaction of polyaniline and transition metal salts: formation of macromolecular complexes 93
Di Pasquale G → Bottino FA
Domínguez N → Ichazo M
Du Q → Wang H
Dubois P → Coulembier O
Džunuzović E → Krušić MK

Ekinci E → Paşahan A
El-Bindary AA, El-Sonbati AZ, Issa RM, Kera HM: Polymer Complexes XXXV. Potentiometric and Thermodynamic Studies of Monomeric and Polymeric Complexes Containing 2-Acrylamidosulphamethoxazole 293
Ellison MS → He X
El-Sonbati AZ → El-Bindary AA
Endo T → Nishida S
Endo T → Ochiai B

Faez R → Reis Martins C
Feijen J → Zhong Z

Filipović J → Krušić MK
Fiorini M → Berti C
Froimowicz P → Halabi A

Gazi M → Bicak N
Giannelis EP → Chang JH
Gibas M, Korytkowska-Wałach A: Polymerization of 2-hydroxyethyl acrylate and methacrylate *via* Michael-type addition 17
González J → Albano C
González J → Ichazo M
Guérin P → Coulembier O
Guerra L → del Valle MA
Gutiérrez MI → Sánchez EI
Güven O → Pekel N

Halabi A, Froimowicz P, Strumia MC: Synthesis and Polymerization of Multiacrylic Dendritic Molecules 119
Hansen MS, Vigild ME, Berg RH, Ndoni S: Nanoporous Crosslinked Polyisoprene from Polyisoprene – Polydimethylsiloxane Block Copolymer 403
Hasegawa N, Usuki A: Arranged Microdomain Structures Induced by Clay Silicate Layers in Block Copolymer-Clay Nanocomposites 77
Hayashi T → Kitamura M
He X, Chuah HH, Ellison MS: Raman Spectroscopy Study of Poly(trimethylene terephthalate) Crystallization 285
Hernández M → Ichazo M
Hernandez S, Castillo EA, Ogawa T: Diacetylene-Containing Polymers XIV: Poly(octa-3,5-diynylene-1,8-dicarboxyalates) containing some polar azo dyes 333

Ibarra D → Chirinos J
Ichazo M → Albano C
Ichazo M, Hernández M, González J, Albano C, Domínguez N: Comparison of Rheological and Mechanical Behavior of Dynamically and Statically Vulcanized PP/SBS Blends 419
Imai Y → Saujanya C
Inoue S → Wang H
Issa RM → El-Bindary AA
Ito S → Ohoka M
Itsuno S, Watanabe H: Asymmetric aldol polymerization of bis(triethylsilyl enol ether) and dialdehyde 183

Jones BA, Torkelson JM: Crystallization and Enthalpy Relaxation of Physically Associating, End-Linked Polymer Networks: Telechelic Pyrene-Labeled Polydimethylsiloxane 411
Jørgensen M, Krebs FC: Valence band edges and optical band gaps of alternating substituted poly(phenylenevinylenes) 23
Jørgensen M → Krebs FC

Kaynak C → Celikbilek C
Kera HM → El-Bindary AA
Kim D-S → Kim M
Kim M, Kim W, Choe Y, Ahn B, Kim D-S, Park J-M: Modeling of Multi-Autocatalytic Cure Reactions of An Epoxy/Amine Terminated Polyetherimide/NMA System 167
Kim W → Kim M
Kitamura M, Yamauchi T, Oka M, Hayashi T: Thermosensitive property of poly(Hyp(Bzl)-co-Pro) 143
Korytkowska-Wałach A → Gibas M
Koßmehl G → Li G
Kostjuk SV: Investigation of the $TiCl_4$ reaction order in quasiliving styrene polymerization with 1-phenylethyl chloride/$TiCl_4$/Bu_2O 277
Köytepe S → Paşahan A
Krebs FC → Jørgensen M
Krebs FC, Jørgensen M: The effect of backbone fluorination on the carrier mobility in alkoxy and alkyl substituted conducting polymers of the poly(phenylenevinylene) type 127
Krušić MK, Džunuzović E, Trifunović S, Filipović J: Semi-IPNs based on Polyacrylamide and Poly(itaconic acid) 159

Lee H → Shim SE
Lee Y-G, Ryu KS: Preparation and Characterization of Asymmetric Composite Polymer Electrolytes for Lithium Metal Polymer Batteries 315
Li G, Koßmehl G, Zhang Y, Bhosale S, Plieth W: Redox Active p-Nitrophenyl Units bond to Electrodeposited Conducting Polythiophene Films 217
Li H → Lu J
Li T, Okada S, Nakanishi H: Preparation and Solid-State Polymerization of Dipyridyloctatetrayne Derivatives 103
Lorenzetti C → Berti C
Lu J, Li H, Xia X, Yao S, Zhu X: Synthesis of oxyquinolyl end functional PMMA by atom transfer radical polymerization 327

Matsumi N, Mizumo T, Ohno H: Single ion conductive characteristics of poly(organoboron halide)-imidazole complex 389
Miyata M, Chujo Y: Stable crosslinked π-conjugated boron containing polymers prepared by hydroboration polymerization or allylboration polymerization 9
Mizumo T → Matsumi N
Morillo A → Chirinos J

Nakanishi H → Li T
Ndoni S → Hansen MS
Nishida H → Nishida S
Nishida S, Nishida H, Endo T: Radical Copolymerization of a Highly Fluorinated Cyclic Olefin Octafluorocyclopentene with Alkyl Vinyl Ethers 1

Ochiai B, Tomita I, Endo T: Chemical Modification of Novel Alkyne-Containing Polymers Obtained by Radical Polymerization of Conjugated Enynes 263
Ogawa T → Hernandez S
Ohkita H → Ohoka M
Ohno H → Matsumi N
Ohoka M, Ohkita H, Ito S, Yamamoto M: Determination of Free-Radical Propagation Rate Coefficient of *N*-Vinylindole by the Pulsed-Laser Polymerization Method 373
Oka M → Kitamura M
Okada S → Li T
Okamoto H → Wang H
Orestano A → Bottino FA

Palacios O, Aliev R, Burillo G: Radiation Graft Copolymerization of Acrylic Acid and *N*-Isopropylacrylamide from binary mixtures onto Polytetrafluoroethylene 191
Parada A → Chirinos J
Park J-M → Kim M
Paşahan A, Köytepe S, Ekinci E, Seçkin T: Synthesis, Characterization and Dopamine Selectivity of 1,4-bis(3-aminopropyl)piperazine – Containing Polyimide 351
Pekel N, Güven O: Separation of heavy metal ions by complexation on poly (N-vinyl imidazole) hydrogels 307
Perera R → Albano C
Pérez MA, Caro CJ, Cancino RA, Rabagliati FM: Ph_2Zn-metallocene-MAO initiator systems in the homo-and copolymerization of styrene/*p*-alkylstyrene 199
Plieth W → Li G
Pollicino A → Bottino FA

Rabagliati FM → Pérez MA
Rajmankina T → Chirinos J
Ramos-de Valle LF → Betancourt-Galindo R
Reis Martins C, Faez R, Rezende MC, De Paoli M-A: Microwave absorption properties of a conductive thermoplastic blend based on polyaniline 321
Rezende MC → Reis Martins C
Rivas BL → Seguel GV
Rodríguez-Fernández OS → Betancourt-Galindo R
Ryu KS → Lee Y-G

Saldívar R → Betancourt-Galindo R
Sánchez CO, Bustos CJ, Del Valle MA, Díaz FR, Torres J: Synthesis and Characterization of Poly[bis(3-aminophenyl) diselenide] and Poly-[bis(3-aminophenyl) diselenideco-aniline] 95
Sánchez EI, Calderón M, Gutiérrez MI: Synthesis of a new polymer containing Rose Bengal 271
Sánchez Y → Albano C
Şanlı O → Arslan M
Saujanya C, Imai Y, Tateyama H: Structure development and isothermal crystallization behaviour of compatibilized PET/expandable fluorine mica hybrid nanocomposite 85
Schneiderbauer S → Zhong Z
Seçkin T → Paşahan A
Seguel GV, Rivas BL: Synthesis and characterization of poly(N-acryloyl N'-methyl piperazinium(+1)) tetra-chlorometallate (II) compounds 39
Senkal BF → Bicak N
Serin M → Cankurtaran O
Shen Z → Zhang L
Shim SE, Shin Y, Lee H, Choe S: Emulsion Polymerization of Methyl Methacrylate Using a Surface-active RAFT agent: The Role of Surfactant 209
Shin Y → Shim SE
Silva P → Albano C
Sisti L → Berti C
Soto GM → del Valle MA
Strumia MC → Halabi A

Tateyama H → Saujanya C
Tomita I → Ochiai B
Tomita I → Ueda M
Torkelson JM → Jones BA
Torres J → Sánchez CO
Trifunović S → Krušić MK

Ueda M, Tomita I: Synthesis and Thermal Properties of Enyne-Containing Polymers by the Polymerization of Diynes Using a Low-Valent Titanium Catalyst 359
Ugalde L → del Valle MA
Uk An Y → Chang JH
Ünal HI → Arslan M
Usuki A → Hasegawa N

Velasco N → Albano C
Vélez JH → del Valle MA
Vigild ME → Hansen MS

Wang H, Zhong W, Du Q, Yang Y, Okamoto H, Inoue S: Novel Polyimide/Silica Nanohybrids from Water Glass 63
Wang SH → de Castro ML
Watanabe H → Itsuno S
Westerhausen M → Zhong Z

Xia X → Lu J

Yamamoto M → Ohoka M
Yamauchi T → Kitamura M
Yang Y → Wang H
Yao S → Lu J
Yiğitoğlu M → Arslan M
Yilmaz F → Cankurtaran O
Yu C → Zhang L

Zhang L, Yu C, Shen Z: Characteristics, Kinetics and Mechanism of ε-Caprolactone Polymerization by Lanthanide Tris(2.6 – dimethylphenolate)s 47
Zhang Y → Li G
Zhong W → Wang H
Zhong Z, Schneiderbauer S, Dijkstra PJ, Westerhausen M, Feijen J: Single-Site Calcium Initiators for the Controlled Ring-Opening Polymerization of Lactides and Lactones 175
Zhu X → Lu J

Subject Index

AAc 191
2-Acrylamidosulphamethoxazole 293
Acrylic acid 191
AIBN 395
Aldol polymerization 183
Alkenylsilane 263
Alkyl sulfides 343
Alkyl vinyl ethers 1
Alkyne-containing polymers 263
Allylboration 9
-Aminopropyltriethoxysilane 63
Amphiphilic block copolymers, dumbbell-type 255
Anhydrides, cyclic 111
Aniline 95
Arsenic extraction 301
ATRP, amphiphilic block copolymers 255
–, functional polymers 327
Azo dyes, polar 333

Batteries, metal polymer 315
Benzoyl peroxide 237
Benzyloxypropyl -malolactonate 365
Biocompatibility 175
Biodegradation 151, 175
Bis(m-aminophenyl)diselenide 95
Bis(2-bromoethenyl)benzenes 359
Bis(2-ethyl, hexyl) sulfosuccinate 395
Bis(4-fluorobenzenesulfonyl) naphthalene 31
Bis(silyl enol ether)s 183
Bis(triethylsilyl enol ether) 183
Bisphenol A polycarbonate 111
Block copolymer-clay nanocomposite 77
Boron-containing polymers, π-conjugated 9
Butane diol 69
tert-Butylstyrene 199

Cacium initiators, single-site 175
-Caprolactone 47, 151, 175
Carriers 365
C-C bond forming reactions 183
Cetyltrimethylammonium bromide 395
Chelating resins 307
5-Chloromethyl-8-hydroxyquinoline 327
Clay silicate 77
Coatings 1
Conducting polymers 55, 95, 127, 301
Copoly(arylene ether)s 31
Cp*2TiCl2 359
Cu(II) 39
Cyclohexyl vinyl ether 1

DBSA 321
Dehydrochlorination, PVC beads 231
Dendrimers 255
–, multiacrylic 119
Dendrite growth 315
DGEBA 167
Diacetylene-containing polymers 333
Dialdehyde 183
Dicumylperoxide 403
2,5-Dicyanothiophene 9
Diethynylbenzene 359
Dimethyl terephthalate 69
Dimethylsulfide/diphenylsulfide 343
Dipyridyloctatetrayne derivatives 103
Diselenide 95
Ditertiobutylsulfide 343
Diynes 359
Dodecylbenzene sulfonic acid 321
Dopamine selectivity 351
Doping-undoping 301
Drug delivery systems 143
DSC 135, 351
DTA 351

EB powder, diffusion reflection spectra 93
EB-HCl 94
Elastomer, liquid, epoxy 429
Electric vehicles 315
Electrical conductivity 321
Electrolytes 315
Electron donor 277
Electropolymerization 55, 217
Enyne moieties, conjugated 359
Enynes, conjugated 263
Epoxide, PVC, spherical beads 231
Epoxies, toughening brittle 429
Epoxy resin modifications 167
ESR 135
Ether-ester chain structure 17
Ethylene, UHMWPE 381
Ethylene carbonate/dimethyl carbonate/LiPF6 315
Ethyl--bromoisobutyrate 327
Extractant 301

Field-effect transistors 23
Fluorination 127
Fluorine mica 85
Fluoropolymers 1
FTIR 135, 351

Gas chromatography, inverse 225

Heavy metal ions, complexation 307
HEMA 17
Hexyl -malolactonate 365
Hydroboration 9, 389
Hydrogels 159, 307

Hydrogen fluoride 403
Hydrosilylation 263
-Hydroxy carbonyl repeating units 183
2-Hydroxyethyl acrylate/methacrylate 17
8-Hydroxyquinoline 327
Hyperbranched polymers 255

Impact strength 225, 419
Inverse gas chromatography 225
Ionizing radiation 135
Isobutylene, quasiliving cationic 277
N-Isopropylacrylamide 191

l,l-Lactide 151
Lactides/lactones, controlled ring-opening polymerization 175
Lanthanide tris(2,6-dimethylphenolate)s 47
Latexes, magnetic 395
Lignocellulosic fibers 245
Lithium bis(trifluoromethane sulfone) imide 389
Lithium metal polymer batteries 315
Lithography 1

Magnetite 395
MAO 199
Membrane, permselective 351
Metal-complexes 39
Methyl metahcrylate, emulsion polymerization 209
Methylaluminoxane (MAO) 199
p-Methylstyrene 199
Mica, expandable fluorine 85
Microdomain 77
Microwave absorption 321
MMA 209
Monobromoborane-methylsulfide 389
Monodendrons 119
Monomethacrylate/oligoethylene glycols 17
Montmorillonite 69
Mukaiyama aldol reaction 183
Multiacrylic dendritic molecules 119
Multi-autocatalytic cure reactions 167

Nadic methyl anhydride 167
Nanocomposite 69, 85
Nanoparticles 77
Nanoporous materials 403
Nanostructure control 77
Naphthalene 31
Networks, end-linked 411
NIPAAm 191
p-Nitrophenyl units, redox active 217
NLO 103
–, 2- 333
NLO coefficient, third-order 327
NMA 167
Nontoxicity 175

1,7-Octadiene 389
Octafluorocyclopentene 1
1-Octen-3-yne 263
Oligoethylene glycol 17
Organic light emitting diodes 23
Organoboron polymers 9
Organoclay 69
Organometallics 293

PAAm 159
PDMS 403, 411
1,3-Pentadiene 343
Pentaerythritol 119
PEs, gamma-irradiated 135
PET, grafted 237
– /expandable fluorine mica 85
Ph2Zn-metallocene-MAO initiator 199
4-Phenyl-1-buten-3-yne 263
Phenylethyl chloride/TiCl4/Bu2O 277
Photopolymerization, living radical emulsion 209
Photorefractive polymer 373
Photosensitizer, singlet molecular oxygen 271
PIA 159
PI-PDMS 403
Piperazine 39
PMDA 351
PMLAHex-g-PMLA 365
PMMA 209
–, oxyquinolyl end-functional 327
Poly(N-acryloyl N'-methyl piperazinium(+1)) tetrachlorometallate (II) 39
Poly(arylene ether)s 31
Poly[bis(3-aminophenyl) diselenide] 95
Poly(chloromethyl styrene) 255
Poly(cyclodiborazane) 9
Poly(ethylene glycol) 255
Poly(ethylene terephthalate) 237
Poly(3-hexylthiophene) 23
Poly(-hydroxy ketone)s 183
Poly(Hyp(Bzl)-co-Pro), thermosensitive properties 143
Poly(itaconic acid), semi-IPNs 159
Poly(-malic acid) 365
Poly(2-methoxy-5-ethylhexyloxy-1,4-phenylenevinylene) 23
Poly(octa-3,5-diynylene-1,8-dicarboxylates) 333
Poly(organoboron halide)-imidazole 389
Poly(phenyl sulfone) 225
Poly(phenylenevinylene) 23
–, backbone fluorination 127
Poly(trimethylene terephthalate), Raman spectroscopy 285
Poly(vinylchloride), dehydrochlorination 231
Poly(N-vinyl imidazole) hydrogels, complexation 307
Poly(N-vinylindole) 373

Polyacrylamide, semi-IPNs 159
Polyaniline 95, 321
–, transition metal salts 93
Polycaprolactone 47
Polycarbonate, aromatic 111
Polydiacetylene 103
Polydimethylsiloxane, pyrene-labeled 411
Polyenynes 263
Polyester, aromatic 285
Polyetherimide, amine-terminated 167
Polyethylene 315
–, UHMWPE 381
Polyimide, 1,4-bis(3-aminopropyl)piperazine 351
Polyimide/silica nanohybrids 63
Polyisoprene, nanoporous crosslinked 403
Polyisoprene-polydimethylsiloxane 403
Polymer electrolytes 315
Polymer-metal complexes 39
Polypeptides, polyproline-II 143
Polyproline-II 143
Polypropylene 419
–, thermal degradation 245
Polypyrrole modified electrodes, arsenic extraction 301
Polyselenophene thin films, SEM study 55
Polystyrene 77, 255, 321
Polystyrene sulfonic acid 321
Polytetrafluoroethylene 191
Polythiophene films, electrodeposited conducting 217
PP, thermal stability 245
– /SBS blends, statically vulcanized 419
– /sisal fiber 245
PPV 23
PTT 285
Pulse radiolysis time resolved microwave conductivity 127
Pulsed-laser polymerization 373
PVC, dehydrochlorination 231
PVI 373
Pyrene fluorescence 255
Pyromellitic anhydride 351

Radiation graft copolymerization 191
RAFT agent, surface-active 209
Rose Bengal 271

Semi-IPNs 159
Silicate nanocomposites, copolymer-layered 77
Silicic acid oligomer 63
Sisal fibers, acetylated 245
Sol-gel route 63
Styrene, magnetic latexes 395
– / p-alkylstyrene 199
Styrene-butadiène-styrene 419
Succinic anhydride 111
Sulfides, organic 343

Tegomer 429
Tetrabutylammonium fluoride 403
4,5,6,7-Tetrachloro-2',4',5',7'-tetraiodofluorescein 271
Tetrachlorocuprate (II) 39
TGA 351
Thermal expansion, coefficients 63
Thermoplastic blends, conductive 321
Thermoplastics 111
Thermosensitive water-soluble polymers 143
Thiophene 217
Titanocenes 199
– catalyst, low-valent 359
Toughness/toughening 225, 381, 429
Transition metal salts, polyaniline 93
Triallylborane 9
1,3,5-Tricyanobenzene 9

UHMWPE 381

Valence band edges 23
N-Vinyl imidazole-water 307
4-Vinyl pyridine, grafted 237
N-Vinylindole (VI), free-radical propagation rate 373

Xanthene dye 271

Zirconocenes 199
Zn(II) 39